

**APPENDIX 2
TENDERER'S SCORES
DUAL DIAGNOSIS SERVICE**

TENDER EVALUATION GRID

Note: As per the Invitation To Tender, a response that is awarded a score of:
(a) 0 for one or more Quality/Technical or Social Value question(s); or (b) 2 or less for two or more Quality/Technical or Social Value questions will be deemed to be a fail overall and be excluded from the process.

TENDER EVALUATION GRID – DUAL DIAGNOSIS SERVICE

Question	Criteria weighting	Score Con A	Con A	Score Con B	Con B	Score Con C	Con C	Score Con D	Con D				
SQ													
Contract Example & Previous Experience			Pass		Pass		Pass		Fail				
Financial and Economic standing			Pass		Pass		Pass		Pass				
Regulatory Reports, Complaints, Alerts/Notices			Pass		Pass		Pass		Pass				
Policies and procedures			Pass		Pass		Pass		Pass				
Identifying support needs and Measuring outcomes	12.00%	2	4.80%	4	9.60%	4	9.60%						
Service delivery	8.00%	3	4.80%	4	6.40%	4	6.40%						
Quality governance and arrangements	4.50%	4	3.60%	4	3.60%	4	3.60%						
Safeguarding	5.50%	4	4.40%	3	3.30%	4	4.40%						
Workforce Proposal	10.00%	4	8.00%	4	8.00%	5	10.00%						
TUPE & Pension Obligations- Not evaluated	N/A												
Pension Obligations – Not evaluated	N/A												
Mobilisation	7.50%	4	6.00%	4	6.00%	4	6.00%						
Quality - Sub total score	47.50%		31.60%		36.90%		40.00%						
Theme 1: Strong Foundations - Social Value Method Statement 1.1	2.00%	3	1.20%	3	1.20%	4	1.60%						
Theme 1: Strong Foundations- Social Value Method Statement 1.2	2.00%	4	1.60%	4	1.60%	5	2.00%						
Theme 2: A Cleaner, More Considerate Brent- Social Value Method Statement 2.1	2.00%	4	1.60%	3	1.20%	3	1.20%						
Theme 3 Safe, Secure, Happy and Healthy - Social Value Method Statement 3.1	2.00%	4	1.60%	3	1.20%	4	1.60%						
Theme 3: Safe, Secure, Happy and Healthy - Social Value Method Statement 3.2	2.00%	4	1.60%	3	1.20%	3	1.20%						
Social value - Sub total score	10%		7.60%		6.40%		7.60%						
Price score	40%		38.84%		37.94%		40.00%						
Total Score	100%		78.04%		81.24%		87.60%		SQ fail				